

AUTO DEGREASER CONCENTRATE

Mesh Degreasing Concentrate

DESCRIPTION

Auto Degreaser Concentrate improves the mesh adhesion of all stencil materials. It is particularly recommended for PLUS emulsion stencils where it improves the quality of the finished coating, and reduces static and dust attraction on synthetic meshes.

Auto Degreaser Concentrate is available in two strengths:

Auto Degreaser Concentrate 1:10 - can be diluted with up to 10 parts water
Auto Degreaser Concentrate 1:25 - can be diluted with up to 25 parts water

Applications

The product may be applied manually or by machine.

READ ENTIRE TECHNICAL DATA SHEET BEFORE USING THIS PRODUCT

FEATURES & BENEFITS

- Efficiently removes contamination from meshes prior to application of stencils. Compatible with the Brush Pump system. Non-hazardous and biodegradable.
- Efficient, convenient and economical degreaser, especially when used with the Brush Pump system. Ideal for use with PLUS emulsion stencils.

WORKING INSTRUCTIONS

Mixing of Auto Degreaser Concentrate

Mix 1 part Auto Degreaser Concentrate 1:10 with 10 parts water or 1 part Auto Degreaser Concentrate 1:25 with 25 parts water. Stronger concentrations can be used where a stronger degreasing action is required. To avoid foaming add the Auto Degreaser Concentrate to the water.

Use of Auto Degreaser Concentrate

1. Rinse screen thoroughly with water.
2. Apply to both sides of the mesh using a brush or spray.
3. Leave to stand for 1 minute.
4. Wash off with a strong water spray.



For unused synthetic meshes use Autoprep mesh preparation paste to first abrade the mesh. Note: Do not allow to dry on the mesh.

For more information on how to use MacDermid Autotype products, go to the How to Guide section at macdermid.com/autotype.

SHELF LIFE & STORAGE

Auto Degreaser Concentrate should be stored between 5 to 30 °C (40 to 86 °F). Do not freeze.

Shelf life at these conditions is two years.

PACKAGING

Auto Degreaser Concentrate is available in trade packs of 12 x 1 Litres and 2 x 5 Litres.



SAFETY & WARNING

MacDermid Autotype recommends that the company/operator read and review the Safety Data Sheets for the appropriate health and safety warnings before use.

Safety Data Sheets are available from MacDermid Autotype.

WASTE TREATMENT

Prior to using any recommendations or suggestions by MacDermid Autotype for waste treatment, the user is required to know the appropriate local/state/federal regulations for on-site or off-site treatment which may require permits. If there is any conflict regarding our recommendations, local/state/federal regulations take precedent.

CONTACT INFORMATION

To confirm this is the most recent issue, please contact MacDermid Autotype
 salessupport@macdermidautotype.com

| | | |
|---|--|--|
| North America MacDermid Autotype Inc. 5210 Phillip Lee Drive Atlanta, GA 30336, USA (404) 696 4565 autotypeusinfo@macdermid.com | Europe MacDermid Autotype Ltd. Grove Road, Wantage, Oxon OX12 7BZ, UK +44 (0) 1235 771111 salessupport@macdermidautotype.com | Asia MacDermid Autotype Pte Ltd. No, 20 Tuas Avenue 6, Singapore, 639307 +65 689 79670 sginfo@autotype.com |
|---|--|--|

Also read carefully warning and safety information on the Safety Data Sheet. This data sheet contains technical information required for safe and economical operation of this product.
 READ IT THOROUGHLY PRIOR TO PRODUCT USE.

DISCLAIMER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. No statement or recommendation shall constitute a representation unless set forth in an agreement signed by officers of seller and manufacturer. NO WARRANTY OR MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE. The following warranty is made in lieu of such warranties and all other warranties, express, implied, or statutory. Products are warranted to be free from defects in material and workmanship at the time sold. The sole obligation of seller and manufacturer under this warranty shall be to replace any product defective at the time sold. Under no circumstances shall manufacturer or seller be liable for any loss, damage or expense, direct or consequential, arising out of the inability to use the product. Notwithstanding the foregoing, if products are supplied in response to a customer request that specifies operating parameters beyond those stated above, or if products are used under conditions exceeding said parameters, the customer by acceptance or use thereof assumes all risk of product failure and of all direct, indirect and consequential damages that may result from use of the products under conditions, and agrees to exonerate, indemnify and hold harmless MacDermid Incorporated therefrom. No suggestion for product use nor anything contained herein shall be construed as a recommendation to use any product in infringement of any patent rights, and seller and manufacturer assume no responsibility or liability for any such infringement.

® Registered Trademark of MacDermid Performance Solutions. ™ Trademark of MacDermid Performance Solutions.
 © Platform Specialty Products Corporation and its subsidiaries 2016.

